


**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Original) A compound of Formula (I):



(I)

wherein:

$R^1$  is selected from the group consisting of hydrogen, halo, alkyl, haloalkoxy, cycloalkyl, heteroalicyclic, hydroxy, alkoxy,  $-C(O)R^8$ ,  $-NR^9R^{10}$  and  $-C(O)NR^{12}R^{13}$ ;

$R^2$  is selected from the group consisting of hydrogen, halo, alkyl, trihalomethyl, hydroxy, alkoxy, cyano,  $-NR^9R^{10}$ ,  $-NR^9C(O)R^{10}$ ,  $-C(O)R^8$ ,  $-S(O)_2NR^9R^{10}$  and  $-SO_2R^{14}$  (wherein  $R^{14}$  is alkyl, aryl, aralkyl, heteroaryl and heteroaralkyl);

$R^3$ ,  $R^4$  and  $R^5$  are independently hydrogen or alkyl;

Z is aryl, heteroaryl, heterocycle, or  $-NR^{15}R^{16}$  wherein  $R^{15}$  and  $R^{16}$  are independently hydrogen or alkyl; or  $R^{15}$  and  $R^{16}$  together with the nitrogen atom to which they are attached from a heterocycloamino group;

$R^6$  is selected from the group consisting of hydrogen or alkyl;

$R^7$  is selected from the group consisting of hydrogen, alkyl, aryl, heteroaryl, and  $-C(O)R^{17}$  as defined below;

$R^8$  is selected from the group consisting of hydroxy, alkoxy and aryloxy;

$R^9$  and  $R^{10}$  are independently selected from the group consisting of hydrogen, alkyl, cyanoalkyl, cycloalkyl, aryl and heteroaryl; or

$R^9$  and  $R^{10}$  combine to form a heterocycloamino group;

$R^{12}$  and  $R^{13}$  are independently selected from the group consisting of hydrogen, alkyl, hydroxyalkyl, and aryl; or  $R^{12}$  and  $R^{13}$  together with the nitrogen atom to which they are attached form a heterocycloamino;

$R^{17}$  is selected from the group consisting of alkyl, cycloalkyl, aryl, hydroxy and heteroaryl;

or a pharmaceutically acceptable salt thereof.

2. (Original) The compound of claim 1, wherein:

$R^1$  is selected from the group consisting of hydrogen, halo, alkyl, cycloalkyl, heteroalicyclic, hydroxy, alkoxy,  $-C(O)R^8$ ,  $-NR^9R^{10}$  and  $-C(O)NR^{12}R^{13}$ ;

$R^2$  is selected from the group consisting of hydrogen, halo, alkyl, trihalomethyl, hydroxy, alkoxy, cyano,  $-NR^9R^{10}$ ,  $-NR^9C(O)R^{10}$ ,  $-C(O)R^8$ ,  $-S(O)_2NR^9R^{10}$  and  $-SO_2R^{14}$  (wherein  $R^{14}$  is alkyl, aryl, aralkyl, heteroaryl and heteroaralkyl);

$R^3$ ,  $R^4$  and  $R^5$  are independently hydrogen or alkyl;

Z is aryl, heteroaryl, heterocycle, or  $-NR^{15}R^{16}$  wherein  $R^{15}$  and  $R^{16}$  are independently hydrogen or alkyl; or  $R^{15}$  and  $R^{16}$  together with the nitrogen atom to which they are attached form a heterocycloamino group;

$R^6$  is selected from the group consisting of hydrogen or alkyl;

$R^7$  is selected from the group consisting of hydrogen, alkyl, aryl, heteroaryl, and  $-C(O)R^{17}$  as defined below;

$R^8$  is selected from the group consisting of hydroxy, alkoxy and aryloxy;

$R^9$  and  $R^{10}$  are independently selected from the group consisting of hydrogen, alkyl, cyanoalkyl, cycloalkyl, aryl and heteroaryl; or

$R^9$  and  $R^{10}$  combine to form a heterocyclo group;

$R^{12}$  and  $R^{13}$  are independently selected from the group consisting of hydrogen, alkyl and aryl, or  $R^{12}$  and  $R^{13}$  together with the nitrogen atom to which they are attached form a heterocycle;


$R^{17}$  is selected from the group consisting of alkyl, cycloalkyl, aryl, hydroxy and heteroaryl;

or a pharmaceutically acceptable salt thereof.

3. (Original) The compound or salt of claim 1, wherein the compound is selected from the group consisting of:


Cpd No.	Structure	Name
1N		5-(5-Fluoro-2-oxo-1,2-dihydro-indol-3-ylidenemethyl)-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (3-diethylamino-2-hydroxy-propyl)-amide
2N		5-[5-Fluoro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-hydroxy-3-morpholin-4-yl-propyl)-amide
3N		2,4-Dimethyl-5-[2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-1H-pyrrole-3-carboxylic acid (2-hydroxy-3-morpholin-4-yl-propyl)-amide
4N		5-[5-Chloro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-hydroxy-3-morpholin-4-yl-propyl)-amide
5N		5-[5-Bromo-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-hydroxy-3-morpholin-4-yl-propyl)-amide

6N




2,4-Dimethyl-5-[2-oxo-1,2-dihydro-indol-ylidenemethyl]-1H-pyrrole-3-carboxylic acid (2-hydroxy-3-[1,2,3]triazol-1-yl-propyl)-amide

7N




5-[5-Fluoro-2-oxo-1,2-dihydro-indol-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-hydroxy-3-[1,2,3]triazol-1-yl-propyl)-amide

8N




5-[5-Chloro-2-oxo-1,2-dihydro-indol-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-hydroxy-3-[1,2,3]triazol-1-yl-propyl)-amide

9N




5-[5-Bromo-2-oxo-1,2-dihydro-indol-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-hydroxy-3-[1,2,3]triazol-1-yl-propyl)-amide

11N




3-{[4-({[3-(diethylamino)-2-hydroxypropyl]amino}carbonyl)-5-methyl-3-phenyl-1H-pyrrol-2-yl]methylene}-2-oxo-N-phenyl-2,3-dihydro-1H-indole-5-carboxamide

12N




(3-{[4-({[3-(diethylamino)-2-hydroxypropyl]amino}carbonyl)-5-methyl-3-phenyl-1H-pyrrol-2-yl]methylene}-N-methyl-2-oxo-2,3-dihydro-1H-indole-5-carboxamide

13N




(3Z)-3-{[4-({[3-(diethylamino)-2-hydroxypropyl]amino}carbonyl)-5-methyl-3-phenyl-1H-pyrrol-2-yl]methylene}-N-(2-hydroxyethyl)-2-oxo-2,3-dihydro-1H-indole-5-carboxamide

14N




N-[3-(diethylamino)-2-hydroxypropyl]-4-(4-fluorophenyl)-2-methyl-5-{[5-(morpholin-4-ylcarbonyl)-2-oxo-1,2-dihydro-3H-indol-3-ylidene]methyl}-1H-pyrrole-3-carboxamide

15N




3-{[4-({[3-(diethylamino)-2-hydroxypropyl]amino}carbonyl)-3-(4-fluorophenyl)-5-methyl-1H-pyrrol-2-yl]methylene}-N-isopropyl-2-oxo-2,3-dihydro-1H-indole-5-carboxamide

16N




3-{{4-({[3-(diethylamino)-2-hydroxypropyl]amino}carbonyl)-3-(2,4-difluorophenyl)-5-methyl-1H-pyrrol-2-yl]methylene}-2-oxo-N-phenyl-2,3-dihydro-1H-indole-5-carboxamide

17N




3-{{4-({[3-(diethylamino)-2-hydroxypropyl]amino}carbonyl)-3-(2,4-difluorophenyl)-5-methyl-1H-pyrrol-2-yl]methylene}-N-(2-hydroxyethyl)-2-oxo-2,3-dihydro-1H-indole-5-carboxamide

18N




3-{{[3-(4-cyanophenyl)-4-({[3-(diethylamino)-2-hydroxypropyl]amino}carbonyl)-5-methyl-1H-pyrrol-2-yl]methylene}-N,N-dimethyl-2-oxo-2,3-dihydro-1H-indole-5-carboxamide

19N




4-(4-cyanophenyl)-N-[3-(diethylamino)-2-hydroxypropyl]-2-methyl-5-{{[5-(morpholin-4-ylcarbonyl)-2-oxo-1,2-dihydro-3H-indol-3-ylidene]methyl}}-1H-pyrrole-3-carboxamide

20N




3-{{3-(4-chlorophenyl)-4-({[3-(diethylamino)-2-hydroxypropyl]amino}carbonyl)-5-methyl-1H-pyrrol-2-yl]methylene}-2-oxo-N-phenyl-2,3-dihydro-1H-indole-5-carboxamide

21N




3-{{3-(4-chlorophenyl)-4-({[3-(diethylamino)-2-hydroxypropyl]amino}carbonyl)-5-methyl-1H-pyrrol-2-yl]methylene}-N-isopropyl-2-oxo-2,3-dihydro-1H-indole-5-carboxamide

22N




5-[(5-fluoro-2-oxo-1,2-dihydro-3H-indol-3-ylidene)methyl]-N-[2-hydroxy-3-(2H-tetraazol-2-yl)propyl]-2,4-dimethyl-1H-pyrrole-3-carboxamide

23N




5-[5-chloro-2-oxo-1,2-dihydro-3H-indol-3-ylidene)methyl]-N-[2-hydroxy-3-(2H-tetraazol-2-yl)propyl]-2,4-dimethyl-1H-pyrrole-3-carboxamide

24N




N-[2-hydroxy-3-(2H-tetraazol-2-yl)propyl]-2,4-dimethyl-5-{{[2-oxo-5-(trifluoromethoxy)-1,2-dihydro-3H-indol-3-ylidene]methyl}-1H-pyrrole-3-carboxamide

25N




5-[(5-fluoro-2-oxo-1,2-dihydro-3H-indol-3-ylidene)methyl]-N-[2-hydroxy-3-(1H-tetrazol-1-yl)propyl]-2,4-dimethyl-1H-pyrrole-3-carboxamide

26N




5-[(5-chloro-2-oxo-1,2-dihydro-3H-indol-3-ylidene)methyl]-N-[2-hydroxy-3-(1H-tetrazol-1-yl)propyl]-2,4-dimethyl-1H-pyrrole-3-carboxamide

27N




N-[2-hydroxy-3-(1H-tetrazol-1-yl)propyl]-2,4-dimethyl-5-[[2-oxo-5-(trifluoromethoxy)-1,2-dihydro-3H-indol-3-ylidene)methyl]-1H-pyrrole-3-carboxamide

28N



N-{3-[2,6-dimethylmorpholin-4-yl]-2-hydroxypropyl}-5-[(5-fluoro-2-oxo-1,2-dihydro-3H-indol-3-ylidene)methyl]-2,4-dimethyl-1H-pyrrole-3-carboxamide


29N



5-[(5-chloro-2-oxo-1,2-dihydro-3H-indol-3-ylidene)methyl]-N-{3-[2,6-dimethylmorpholin-4-yl]-2-hydroxypropyl}-2,4-dimethyl-1H-pyrrole-3-carboxamide




30N




N-{3-[2,6-dimethylmorpholin-4-yl]-2-hydroxypropyl}-2,4-dimethyl-5-[[2-oxo-5-(trifluoromethoxy)-1,2-dihydro-3H-indol-3-ylidene]methyl]-1H-pyrrole-3-carboxamide

34N




5-[(5-fluoro-2-oxo-1,2-dihydro-3H-indol-3-ylidene)methyl]-N-[2-hydroxy-3-(3-methyl-2,5-dioxoimidazolidin-1-yl)propyl]-2,4-dimethyl-1H-pyrrole-3-carboxamide

35N




N-[2-hydroxy-3-(3-methyl-2,5-dioxoimidazolidin-1-yl)propyl]-2,4-dimethyl-5-[(Z)-[2-oxo-5-(trifluoromethoxy)-1,2-dihydro-3H-indol-3-ylidene]methyl]-1H-pyrrole-3-carboxamide

36N




5-[(5-chloro-2-oxo-1,2-dihydro-3H-indol-3-ylidene)methyl]-N-[2-hydroxy-3-(3-methyl-2,5-dioxoimidazolidin-1-yl)propyl]-2,4-dimethyl-1H-pyrrole-3-carboxamide

37N




N-[3-(1,1-dioxidothiomorpholin-4-yl)-2-hydroxypropyl]-2,4-dimethyl-5-[(2-oxo-1,2-dihydro-3H-indol-3-ylidene)methyl]-1H-pyrrole-3-carboxamide

38N




N-[3-(1,1-dioxidothiomorpholin-4-yl)-2-hydroxypropyl]-5-[(5-fluoro-2-oxo-1,2-dihydro-3H-indol-3-ylidene)methyl]-2,4-dimethyl-1H-pyrrole-3-carboxamide

39N




5-[(5-chloro-2-oxo-1,2-dihydro-3H-indol-3-ylidene)methyl]-N-[3-(1,1-dioxidothiomorpholin-4-yl)-2-hydroxypropyl]-2,4-dimethyl-1H-pyrrole-3-carboxamide

40N




5-[(5-bromo-2-oxo-1,2-dihydro-3H-indol-3-ylidene)methyl]-N-[3-(1,1-dioxidothiomorpholin-4-yl)-2-hydroxypropyl]-2,4-dimethyl-1H-pyrrole-3-carboxamide

47N




5-(5-fluoro-2-oxo-1,2-dihydro-indol-3-ylidenemethyl)-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [2-hydroxy-3-([1,2,3]triazolo[4,5-b]pyridin-3-yloxy)-propyl]-amide

48N




5-(5-chloro-2-oxo-1,2-dihydro-indol-3-ylidenemethyl)-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [2-hydroxy-3-([1,2,3]triazolo[4,5-b]pyridin-3-yloxy)-propyl]-amide

49N




2,4-dimethyl-5-(2-oxo-5-trifluoromethoxy-1,2-dihydro-indol-3-ylidenemethyl)-1H-pyrrole-3-carboxylic acid [2-hydroxy-3-([1,2,3]triazolo[4,5-b]pyridin-3-yloxy)-propyl]-amide

50N




5-(5-fluoro-2-oxo-1,2-dihydro-indol-3-ylidenemethyl)-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [2-hydroxy-3-(3-oxy-benzotriazol-1-yl)-propyl]-amide

51N



5-(5-chloro-2-oxo-1,2-dihydro-indol-3-ylidenemethyl)-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [2-hydroxy-3-(3-oxy-benzotriazol-1-yl)-propyl]-amide

52N



2,4-dimethyl-5-(2-oxo-5-trifluoromethoxy-1,2-dihydro-indol-3-ylidenemethyl)-1H-pyrrole-3-carboxylic acid [2-hydroxy-3-(3-oxy-benzotriazol-1-yl)-propyl]-amide


4. (Original) The compound or salt of claim 3, wherein the compound is selected from the group consisting of:

Cpd No.

Structure


Name

1S




5-(5-Fluoro-2-oxo-1,2-dihydro-indol-3-(3Z)-ylidenemethyl)-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (3-diethylamino-2-hydroxy-propyl)-amide

2S




5-[5-Fluoro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-hydroxy-3-morpholin-4-yl-propyl)-amide

3S




2,4-Dimethyl-5-[2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-1H-pyrrole-3-carboxylic acid (2-hydroxy-3-morpholin-4-yl-propyl)-amide

4S




5-[5-Chloro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-hydroxy-3-morpholin-4-yl-propyl)-amide

5S




5-[5-Bromo-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-hydroxy-3-morpholin-4-yl-propyl)-amide

6S




2,4-Dimethyl-5-[2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-1H-pyrrole-3-carboxylic acid (2-hydroxy-3-[1,2,3]triazol-1-yl-propyl)-amide

7S




5-[5-Fluoro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-hydroxy-3-[1,2,3]triazol-1-yl-propyl)-amide

8S




5-[5-Chloro-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-hydroxy-3-[1,2,3]triazol-1-yl-propyl)-amide

9S




5-[5-Bromo-2-oxo-1,2-dihydro-indol-(3Z)-ylidenemethyl]-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-hydroxy-3-[1,2,3]triazol-1-yl-propyl)-amide

11S




(3Z)-3-{[4-({[3-(diethylamino)-2-hydroxypropyl]amino} carbonyl)-5-methyl-3-phenyl-1H-pyrrol-2-yl]methylene}-2-oxo-N-phenyl-2,3-dihydro-1H-indole-5-carboxamide

12S




(3Z)-3-{[4-({[3-(diethylamino)-2-hydroxypropyl]amino} carbonyl)-5-methyl-3-phenyl-1H-pyrrol-2-yl]methylene}-N-methyl-2-oxo-2,3-dihydro-1H-indole-5-carboxamide

13S




(3Z)-3-{[4-({[3-(diethylamino)-2-hydroxypropyl]amino} carbonyl)-5-methyl-3-phenyl-1H-pyrrol-2-yl]methylene}-N-(2-hydroxyethyl)-2-oxo-2,3-dihydro-1H-indole-5-carboxamide

14S




N-[3-(diethylamino)-2-hydroxypropyl]-4-(4-fluorophenyl)-2-methyl-5-{{(Z)-[5-(morpholin-4-ylcarbonyl)-2-oxo-1,2-dihydro-3H-indol-3-ylidene]methyl}}-1H-pyrrole-3-carboxamide

15S




(3Z)-3-{{4-({[3-(diethylamino)-2-hydroxypropyl]amino}carbonyl)-3-(4-fluorophenyl)-5-methyl-1H-pyrrol-2-yl]methylene}-N-isopropyl-2-oxo-2,3-dihydro-1H-indole-5-carboxamide

16S




(3Z)-3-{{4-({[3-(diethylamino)-2-hydroxypropyl]amino}carbonyl)-3-(2,4-difluorophenyl)-5-methyl-1H-pyrrol-2-yl]methylene}-2-oxo-N-phenyl-2,3-dihydro-1H-indole-5-carboxamide

17S




(3Z)-3-{{4-({[3-(diethylamino)-2-hydroxypropyl]amino}carbonyl)-3-(2,4-difluorophenyl)-5-methyl-1H-pyrrol-2-yl]methylene}-N-(2-hydroxyethyl)-2-oxo-2,3-dihydro-1H-indole-5-carboxamide

18S




(3Z)-3-{{[3-(4-cyanophenyl)-4-({[3-(diethylamino)-2-hydroxypropyl]amino}carbonyl)-5-methyl-1H-pyrrol-2-yl]methylene}-N,N-dimethyl-2-oxo-2,3-dihydro-1H-indole-5-carboxamide

19S




4-(4-cyanophenyl)-N-[3-(diethylamino)-2-hydroxypropyl]-2-methyl-5-{{(Z)-[5-(morpholin-4-ylcarbonyl)-2-oxo-1,2-dihydro-3H-indol-3-ylidene]methyl}-1H-pyrrole-3-carboxamide

20S




(3Z)-3-{{[3-(4-chlorophenyl)-4-({[3-(diethylamino)-2-hydroxypropyl]amino}carbonyl)-5-methyl-1H-pyrrol-2-yl]methylene}-2-oxo-N-phenyl-2,3-dihydro-1H-indole-5-carboxamide

21S




(3Z)-3-{{[3-(4-chlorophenyl)-4-({[3-(diethylamino)-2-hydroxypropyl]amino}carbonyl)-5-methyl-1H-pyrrol-2-yl]methylene}-N-isopropyl-2-oxo-2,3-dihydro-1H-indole-5-carboxamide

22S




5-[(Z)-(5-fluoro-2-oxo-1,2-dihydro-3H-indol-3-ylidene)methyl]-N-[2-hydroxy-3-(2H-tetraazol-2-yl)propyl]-2,4-dimethyl-1H-pyrrole-3-carboxamide

23S




5-[(Z)-(5-chloro-2-oxo-1,2-dihydro-3H-indol-3-ylidene)methyl]-N-[2-hydroxy-3-(2H-tetraazol-2-yl)propyl]-2,4-dimethyl-1H-pyrrole-3-carboxamide

24S




N-[2-hydroxy-3-(2H-tetraazol-2-yl)propyl]-2,4-dimethyl-5-[(Z)-[2-oxo-5-(trifluoromethoxy)-1,2-dihydro-3H-indol-3-ylidene)methyl]-1H-pyrrole-3-carboxamide

25S



5-[(Z)-(5-fluoro-2-oxo-1,2-dihydro-3H-indol-3-ylidene)methyl]-N-[2-hydroxy-3-(1H-tetraazol-1-yl)propyl]-2,4-dimethyl-1H-pyrrole-3-carboxamide


26S



5-[(Z)-(5-chloro-2-oxo-1,2-dihydro-3H-indol-3-ylidene)methyl]-N-[2-hydroxy-3-(1H-tetraazol-1-yl)propyl]-2,4-dimethyl-1H-pyrrole-3-carboxamide




27S




N-[2-hydroxy-3-(1H-tetrazol-1-yl)propyl]-2,4-dimethyl-5-[(Z)-[2-oxo-5-(trifluoromethoxy)-1,2-dihydro-3H-indol-3-ylidene]methyl]-1H-pyrrole-3-carboxamide

28S




N-{3-[(2R,6S)-2,6-dimethylmorpholin-4-yl]-2-hydroxypropyl}-5-[(Z)-(5-fluoro-2-oxo-1,2-dihydro-3H-indol-3-ylidene)methyl]-2,4-dimethyl-1H-pyrrole-3-carboxamide

29S




5-[(Z)-(5-chloro-2-oxo-1,2-dihydro-3H-indol-3-ylidene)methyl]-N-{3-[(2R,6S)-2,6-dimethylmorpholin-4-yl]-2-hydroxypropyl}-2,4-dimethyl-1H-pyrrole-3-carboxamide

30S




N-{3-[(2R,6S)-2,6-dimethylmorpholin-4-yl]-2-hydroxypropyl}-2,4-dimethyl-5-[(Z)-[2-oxo-5-(trifluoromethoxy)-1,2-dihydro-3H-indol-3-ylidene]methyl]-1H-pyrrole-3-carboxamide

31S




5-[(Z)-(5-fluoro-2-oxo-1,2-dihydro-3H-indol-3-ylidene)methyl]-N-[(2R)-2-hydroxy-3-(3-methyl-2,5-dioxoimidazolidin-1-yl)propyl]-2,4-dimethyl-1H-pyrrole-3-carboxamide

32S




5-[(Z)-(5-chloro-2-oxo-1,2-dihydro-3H-indol-3-ylidene)methyl]-N-[(2R)-2-hydroxy-3-(3-methyl-2,5-dioxoimidazolidin-1-yl)propyl]-2,4-dimethyl-1H-pyrrole-3-carboxamide

33S




N-[(2R)-2-hydroxy-3-(3-methyl-2,5-dioxoimidazolidin-1-yl)propyl]-2,4-dimethyl-5-[(Z)-[2-oxo-5-(trifluoromethoxy)-1,2-dihydro-3H-indol-3-ylidene]methyl]-1H-pyrrole-3-carboxamide

34S




5-[(Z)-(5-fluoro-2-oxo-1,2-dihydro-3H-indol-3-ylidene)methyl]-N-[(2S)-2-hydroxy-3-(3-methyl-2,5-dioxoimidazolidin-1-yl)propyl]-2,4-dimethyl-1H-pyrrole-3-carboxamide

35S









N-[(2S)-2-hydroxy-3-(3-methyl-2,5-dioxoimidazolidin-1-yl)propyl]-2,4-dimethyl-5-[(Z)-[2-oxo-5-(trifluoromethoxy)-1,2-dihydro-3H-indol-3-ylidene]methyl]-1H-pyrrole-3-carboxamide


36S



5-[(Z)-(5-chloro-2-oxo-1,2-dihydro-3H-indol-3-ylidene)methyl]-N-[(2S)-2-hydroxy-3-(3-methyl-2,5-dioxoimidazolidin-1-yl)propyl]-2,4-dimethyl-1H-pyrrole-3-carboxamide


- 37S 
- 38S 
- 39S 
- 40S 
- 41S 
- 42S 

43S




5-[(Z)-(5-chloro-2-oxo-1,2-dihydro-3H-indol-3-ylidene)methyl]-N-[(2R)-2-hydroxy-3-morpholin-4-ylpropyl]-2,4-dimethyl-1H-pyrrole-3-carboxamide

44S




5-[(Z)-(5-chloro-2-oxo-1,2-dihydro-3H-indol-3-ylidene)methyl]-N-[(2S)-2-hydroxy-3-morpholin-4-ylpropyl]-2,4-dimethyl-1H-pyrrole-3-carboxamide

47S



5-(5-(Z)-fluoro-2-oxo-1,2-dihydro-indol-3-ylidenemethyl)-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [2-


48S



hydroxy-3-([1,2,3]triazolo[4,5-b]pyridin-3-yloxy)-propyl]-amide

5-(5-(Z)-chloro-2-oxo-1,2-dihydro-indol-3-ylidenemethyl)-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [2-


49S



hydroxy-3-([1,2,3]triazolo[4,5-b]pyridin-3-yloxy)-propyl]-amide

2,4-(Z)-dimethyl-5-(2-oxo-5-trifluoromethoxy-1,2-dihydro-indol-3-ylidenemethyl)-1H-pyrrole-3-carboxylic

50S




c acid [2-hydroxy-3-([1,2,3]triazolo[4,5-b]pyridin-3-yloxy)-propyl]-amide

5-(5-(Z)-fluoro-2-oxo-1,2-dihydro-indol-3-ylidenemethyl)-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [2-


hydroxy-3-(3-oxy-benzotriazol-1-yl)-propyl]-amide

51S




5-(5-(Z)-chloro-2-oxo-1,2-dihydro-indol-3-ylidenemethyl)-2,4-dimethyl-1H-pyrrole-3-carboxylic acid [2-hydroxy-3-(3-oxy-benzotriazol-1-yl)-propyl]-amide

52S



2,4-(Z)-dimethyl-5-(2-oxo-5-trifluoromethoxy-1,2-dihydro-indol-3-ylidenemethyl)-1H-pyrrole-3-carboxylic acid [2-hydroxy-3-(3-oxy-benzotriazol-1-yl)-propyl]-amide

5. (Original) A compound of Formula (Ia):



wherein:

$R^1$ ,  $R^3$ ,  $R^4$ , and  $R^5$  are hydrogen;


$R^2$  is fluoro and is located at the 5-position of the indolinone ring; and

Z is morpholin-4-yl;

$R^6$  and  $R^7$  are methyl; and

the stereochemistry at the \*C is (S).

6. (Original) A compound of Formula (II):



(II)

wherein:

R is hydrogen or alkyl;

R<sup>1</sup> is selected from the group consisting of hydrogen, halo, alkyl, haloalkoxy, cycloalkyl, heteroalicyclic, hydroxy, alkoxy, -C(O)R<sup>8</sup>, -NR<sup>9</sup>R<sup>10</sup> and -C(O)NR<sup>12</sup>R<sup>13</sup>;

R<sup>2</sup> is selected from the group consisting of hydrogen, halo, alkyl, trihalomethyl, hydroxy, alkoxy, cyano, -NR<sup>9</sup>R<sup>10</sup>, -NR<sup>9</sup>C(O)R<sup>10</sup>, -C(O)R<sup>8</sup>, -S(O)<sub>2</sub>NR<sup>9</sup>R<sup>10</sup> and -SO<sub>2</sub>R<sup>14</sup> (wherein R<sup>14</sup> is alkyl, aryl, aralkyl, heteroaryl and heteroaralkyl);

R<sup>3</sup>, R<sup>4</sup> and R<sup>5</sup> are independently hydrogen or alkyl;

Z is aryl, heteroaryl, heterocycle, or -NR<sup>15</sup>R<sup>16</sup> wherein R<sup>15</sup> and R<sup>16</sup> are independently hydrogen or alkyl; or R<sup>15</sup> and R<sup>16</sup> together with the nitrogen atom to which they are attached form a heterocycloamino group;

R<sup>6</sup> is selected from the group consisting of hydrogen or alkyl;

R<sup>7</sup> is selected from the group consisting of hydrogen, alkyl, aryl, heteroaryl, and -C(O)R<sup>17</sup> as defined below;

R<sup>8</sup> is selected from the group consisting of hydroxy, alkoxy and aryloxy;

R<sup>9</sup> and R<sup>10</sup> are independently selected from the group consisting of hydrogen, alkyl, cyanoalkyl, cycloalkyl, aryl and heteroaryl; or

R<sup>9</sup> and R<sup>10</sup> combine to form a heterocycloamino group;

$R^{12}$  and  $R^{13}$  are independently selected from the group consisting of hydrogen, alkyl, hydroxyalkyl, and aryl; or  $R^{12}$  and  $R^{13}$  together with the nitrogen atom to which they are attached form a heterocycloamino;

$R^{17}$  is selected from the group consisting of alkyl, cycloalkyl, aryl, hydroxy, and heteroaryl;  
or a pharmaceutically acceptable salt thereof.

7. (Original) The compound or salt of claim 6, wherein the compound is selected from the group consisting of:

Cpd No.	Structure	Name
45N		5-((5-Fluoro-2-oxo-1,2-dihydro-indol-3-ylidenemethyl)-2,4-dimethyl-1H-pyrrole-3-carboxylic acid (2-hydroxy-3-morpholin-4-yl-propyl)-methyl-amide;
45S		5-((Z)-5-Fluoro-2-oxo-1,2-dihydro-indol-3-ylidenemethyl)-2,4-dimethyl-1H-pyrrole-3-carboxylic acid ((S)-2-hydroxy-3-morpholin-4-yl-propyl)-methyl-amide; and
46S		5-((Z)-5-Fluoro-2-oxo-1,2-dihydro-indol-3-ylidenemethyl)-2,4-dimethyl-1H-pyrrole-3-carboxylic acid ((R)-2-hydroxy-3-morpholin-4-yl-propyl)-methyl-amide.

Claims 8 – 17 Cancelled.